


NPTF

Female



Part Number	Product Number	SAP Number	Thread		Hex 1 Wrench Size		Cut-Off (C)		Length (L)	
			Hose ID	Thread Size (A)	in.	mm	in.	mm	in.	mm
B2-NPF-0402	14600-0402	20293225	1/4	1/8-27	9/16	14	0.88	22.4	1.86	47.3
B2-NPF-0404	14600-0404	20242105	1/4	1/4-18	3/4	19	1.09	27.6	2.07	52.5
B2-NPF-0604	14600-0604	20293226	3/8	1/4-18	3/4	19	1.09	27.8	2.14	54.4
B2-NPF-0606	14600-0606	20242103	3/8	3/8-18	7/8	22	1.15	29.2	2.19	55.8
B2-NPF-0608	14600-0608	20662001	3/8	1/2-14	1	25	1.38	35.0	2.43	61.7
B2-NPF-0806	14600-0806	20662002	1/2	3/8-18	7/8	22	1.18	30.0	2.42	61.5
B2-NPF-0808	14600-0808	20242106	1/2	1/2-14	1	25	1.40	35.6	2.65	67.2
B2-NPF-1212	14600-1212	20242104	3/4	3/4-14	1 1/4	32	1.51	38.4	3.06	77.8



NPTF

Female / Swivel



Part Number	Product Number	SAP Number	Thread		Hex 1 Wrench Size		Cut-Off (C)		Length (L)	
			Hose ID	Thread Size (A)	in.	mm	in.	mm	in.	mm
B2-NPFX-0606	14605-0606	20293227	3/8	3/8-18	7/8	22	2.06	52.4	3.11	79.0
B2-NPFX-1616	14605-1616	20293228	1	1-11 1/2	1 1/2	38	2.83	71.8	4.60	116.9

FITTINGS



ContiTech

Section 1 B2 Fittings


COMPATIBLE HOSE:

SR1SN	SR2SN	LR16SC	DR16SC	ACP3	SR12
DR1SN	DR2SN	SR16SC	XR16SC	XCP3	ARC12
SFS	LR2SN	ARC16SC	SCP3	XCP4	Hot Oiler

For a detailed list, please refer to your Crimp Specifications Manual.

NPTF

Male




Part Number	Product Number	SAP Number	Hose ID	Thread Size (A)	Hex 1 Wrench Size		Cut-Off (C)		Length (L)	
			in.	in.	mm	in.	mm	in.	mm	
B2-NPM-0402	14615-0402	20242110	1/4	1/8-27	9/16	14	0.84	21.2	1.82	46.1
B2-NPM-0404	14615-0404	20242111	1/4	1/4-18	11/16	17	1.06	27.0	2.04	51.9
B2-NPM-0404S	14615-0404S	20286649	1/4	1/4-18	11/16	17	1.06	27.0	2.04	51.9
B2-NPM-0406	14615-0406	20242109	1/4	3/8-18	3/4	19	1.09	27.7	2.07	52.6
B2-NPM-0406S	14615-0406S	20873079	1/4	3/8-18	3/4	19	1.09	27.7	2.07	52.6
B2-NPM-0408	14615-0408	20242115	1/4	1/2-14	7/8	22	1.27	32.2	2.25	57.1
B2-NPM-0604	14615-0604	20242067	3/8	1/4-18	11/16	17	1.07	27.2	2.12	53.8
B2-NPM-0604S	14615-0604S	20873130	3/8	1/4-18	11/16	17	1.07	27.2	2.12	53.8
B2-NPM-0606	14615-0606	20242069	3/8	3/8-18	3/4	19	1.10	27.9	2.15	54.6
B2-NPM-0606S	14615-0606S	20286830	3/8	3/8-18	3/4	19	1.10	27.9	2.15	54.6
B2-NPM-0608	14615-0608	20242079	3/8	1/2-14	7/8	22	1.27	32.4	2.32	59.0
B2-NPM-0608S	14615-0608S	20873131	3/8	1/2-14	7/8	22	1.27	32.4	2.32	59.0
B2-NPM-0806	14615-0806	20242113	1/2	3/8-18	3/4	19	1.12	28.4	2.37	60.1
B2-NPM-0806S	14615-0806S	20424922	1/2	3/8-18	3/4		1.12	28.4	2.37	60.1
B2-NPM-0808	14615-0808	20242093	1/2	1/2-14	7/8	22	1.30	33.0	2.55	64.7
B2-NPM-0808S	14615-0808S	20286831	1/2	1/2-14	7/8	22	1.30	33.0	2.55	64.7
B2-NPM-0812	14615-0812	20242116	1/2	3/4-14	1 1/8	27	1.34	34.1	2.59	65.8
B2-NPM-1008	14615-1008	20242071	5/8	1/2-14	15/16	24	1.31	33.3	2.67	67.7
B2-NPM-1008S	14615-1008S	20286832	5/8	1/2-14	15/16	24	1.31	33.3	2.67	67.7
B2-NPM-1012	14615-1012	20242066	5/8	3/4-14	1 1/8	27	1.35	34.4	2.71	68.9
B2-NPM-1208	14615-1208	20242078	3/4	1/2-14	1 1/8	27	1.32	33.5	2.87	73.0
B2-NPM-1212	14615-1212	20242076	3/4	3/4-14	1 1/8	27	1.36	34.6	2.92	74.1
B2-NPM-1212S	14615-1212S	20286833	3/4	3/4-14	1 1/8	27	1.36	34.6	2.92	74.1
B2-NPM-1216	14615-1216	20242077	3/4	1-11 1/2	1 3/8	36	1.72	43.7	3.27	83.1
B2-NPM-1612	14615-1612	20242107	1	3/4-14	1 1/8	36	1.56	39.5	3.33	84.6
B2-NPM-1616	14615-1616	20242099	1	1-11 1/2	1 3/8	36	1.73	43.9	3.51	89.0
B2-NPM-1616S	14615-1616S	20286834	1	1-11 1/2	1 3/8	36	1.73	43.9	3.51	89.0
B2-NPM-1620	14615-1620	20242092	1	1 1/4-11 1/2	1 3/8	46	1.88	47.8	3.66	92.8
B2-NPM-2020	28615-2020	20242094	1 1/4	1 1/4-11 1/2	1 3/8	46	1.95	49.5	4.00	101.5
B2-NPM-2020S	28615-2020S	20424930	1 1/4	1 1/4-11 1/2	1 3/8	46	1.95	49.5	4.00	101.5
B2-NPM-2024	28615-2024	20242095	1 1/4	1 1/2-11 1/2	2	50	2.01	51.0	4.06	103.0
B2-NPM-2424	28615-2424	20242102	1 1/2	1 1/2-11 1/2	2	50	2.01	51.0	4.34	110.1
B2-NPM-2424S	28615-2424S	20424931	1 1/2	1 1/2-11 1/2	2	50	2.01	51.0	4.34	110.1
B2-NPM-3232	28615-3232	20242108	2	2-11 1/2	2 3/8	65	2.14	54.5	4.98	126.4
B2-NPM-3232S	28615-3232S	20933826	2	2-11 1/2	2 3/8	65	2.14	54.5	4.98	126.4

S=Stainless Steel (See Fitting Identification in Appendix for more information.)



Download the **MyCrimp App** for more information.

Section 1 B2 Fittings



NPTF

Male / Swivel



Part Number	Product Number	SAP Number	Hose ID	Thread Size (A)	Hex 1 Wrench Size		Cut-Off (C)		Length (L)	
			in.	in.	mm	in.	mm	in.	mm	
B2-NPMX-0402	14645-0402	20435592	1/4	1/8-27	5/8	16	1.51	38.4	2.49	63.1
B2-NPMX-0404	14645-0404	20242087	1/4	1/4-18	11/16	17	1.49	37.8	2.47	62.7
B2-NPMX-0404S	14645-0404S	20838415	1/4	1/4-18	11/16	17	1.49	37.8	2.47	62.7
B2-NPMX-0406	14645-0406	20242086	1/4	3/8-18	7/8	22	1.57	39.9	2.55	64.8
B2-NPMX-0604	14645-0604	20242082	3/8	1/4-18	11/16	17	1.58	40.1	2.63	66.8
B2-NPMX-0606	14645-0606	20242081	3/8	3/8-18	7/8	22	1.49	37.8	2.54	64.4
B2-NPMX-0606S	14645-0606S	20838416	3/8	3/8-18	7/8	22	1.49	37.8	2.54	64.4
B2-NPMX-0608	14645-0608	20242083	3/8	1/2-14	1	25	1.71	43.5	2.76	70.2
B2-NPMX-0804	14645-0804	20293188	1/2	1/4-18	11/16	17	1.60	40.6	2.85	72.3
B2-NPMX-0806	14645-0806	20242088	1/2	3/8-18	7/8	22	1.51	38.5	2.76	70.1
B2-NPMX-0808	14645-0808	20242074	1/2	1/2-14	1	25	1.66	42.3	2.91	73.9
B2-NPMX-0808S	14645-0808S	20838417	1/2	1/2-14	1	25	1.66	42.3	2.91	73.9
B2-NPMX-1208	14645-1208	20923064	3/4	1/2-14	1	25	1.73	43.9	3.283	83.3
B2-NPMX-1212	14645-1212	20242091	3/4	3/4-14	1 1/4	32	1.97	50.1	3.53	89.6
B2-NPMX-1212S	14645-1212S	20838418	3/4	3/4-14	1 1/4	32	1.97	50.1	3.53	89.6
B2-NPMX-1616	14645-1616	20242085	1	1-11 1/2	1 3/8	41	2.30	58.4	4.07	103.5
B2-NPMX-1616S	14645-1616S	20838419	1	1-11 1/2	1 3/8	41	2.30	58.4	4.07	103.5

FITTINGS



ContiTech

Section 1 B2 Fittings


COMPATIBLE HOSE:







SR1SN	SR2SN	LR16SC	DR16SC	ACP3	SR12
DR1SN	DR2SN	SR16SC	XR16SC	XCP3	ARC12
SFS	LR2SN	ARC16SC	SCP3	XCP4	Hot Oilier

For a detailed list, please refer to your Crimp Specifications Manual.

NPTF


Male / 90° Block Elbow / Swivel









Part Number	Product Number	SAP Number										
			Hose ID	Thread Size (A)	Hex 1 Wrench Size	Drop (D)	in.	mm	in.	mm	in.	mm
B2-NPMX90B-0404	14650-0404	20293189	1/4	1/4-18	11/16	17	1.69	42.9	0.71	18.1	1.69	43.0
B2-NPMX90B-0604	14650-0604	20293190	3/8	1/4-18	11/16	17	1.63	41.5	0.92	23.3	1.97	50.0
B2-NPMX90B-0606	14650-0606	20293191	3/8	3/8-18	7/8	22	1.62	41.2	0.92	23.3	1.97	50.0
B2-NPMX90B-0806	14650-0806	20441228	1/2	3/8-18	7/8	22	2.00	50.7	1.16	29.4	2.41	61.1
B2-NPMX90B-0808	14650-0808	20293192	1/2	1/2-14	1	25	2.15	54.6	1.16	29.4	2.41	61.1
B2-NPMX90B-1212	14650-1212	20293193	3/4	3/4-14	1 1/4	32	2.58	65.6	1.24	31.5	2.80	71.0

NPSM

Female / Swivel



Part Number	Product Number	SAP Number										
			Hose ID	Thread Size (A)	Hex 1 Wrench Size	Hex 2 Wrench Size	in.	mm	in.	mm	in.	mm
B2-NSFX-0404	14655-0404	20242064	1/4	1/4-18	3/4	19	11/16	17	1.19	30.2	2.17	55.1
B2-NSFX-0606	14655-0606	20242065	3/8	3/8-18	7/8	22	3/4	19	1.24	31.4	2.29	58.0
B2-NSFX-0806	14655-0806	20873204	1/2	3/8-18	7/8	22	7/8	22	1.271	32.3	2.518	64.0
B2-NSFX-0808	14655-0808	20242063	1/2	1/2-14	1 1/6	27	7/8	22	1.35	34.3	2.60	66.0
B2-NSFX-0808S	14655-0808S	20424926	1/2	1/2-14	1 1/6	27	7/8	22	1.35	34.3	2.60	66.0
B2-NSFX-1212	14655-1212	20293252	3/4	3/4-14	1 1/4	32	1 3/6	30	1.46	37.0	3.01	76.4
B2-NSFX-1212S	14655-1212S	20955328	3/4	3/4-14	1 1/4	32	1 3/6	30	1.46	37.0	3.01	76.4
B2-NSFX-1616	14655-1616	20293253	1	1-11 1/2	1 1/2	38	1 1/6	36	1.76	44.7	3.54	89.8
B2-NSFX-1616S	14655-1616S	20955329	1	1-11 1/2	1 1/2	38	1 1/6	36	1.76	44.7	3.54	89.8
B2-NSFX-2020	28655-2020	20293263	1 1/4	1 1/4-11 1/2	2	50	1 3/4	41	2.04	51.7	4.08	103.7

S=Stainless Steel (See Fitting Identification in Appendix for more information.)



Download the **MyCrimp App** for more information.

Section 1 B2 Fittings