



Standpipe



Part Number	Product Number	SAP Number	Hose ID	Tube O.D. (A)	Cut-Off (C)		Length (L)	
			in.	mm	in.	mm	in.	mm
SG-SP-1628	29825-1628	20821784	1	28	1.73	43.9	4.01	101.9

O-Ring Face Seal (SAE J1453 ORS/ORFS)

Female / Swivel




Part Number	Product Number	SAP Number	Hose ID	Thread Size (A)	Hex 1 Wrench Size		Hex 2 Wrench Size		Cut-Off (C)		Length (L)	
			in.		in.	mm	in.	mm	in.	mm	in.	mm
SG-OFFX-0604	29700-0604	20821928	3/8	9/16-18	7/8	17	11/16	17	1.29	32.8	2.75	69.9
SG-OFFX-0606	29700-0606	20758282	3/8	11/16-16	7/8	22	11/16	18	1.29	32.8	2.75	69.9
SG-OFFX-0608	29700-0608	20731751	3/8	13/16-16	15/16	24	7/8	22	1.50	38.1	2.96	75.1
SG-OFFX-0806	29700-0806	20821927	1/2	11/16-16	7/8	22	3/4	19	1.34	34.0	2.87	73.0
SG-OFFX-0808	29700-0808	20731750	1/2	13/16-16	15/16	24	7/8	22	1.50	38.1	3.04	77.1
SG-OFFX-0810	29700-0810	20731764	1/2	1-14	1 3/8	30	15/16	24	1.63	41.5	3.17	80.5
SG-OFFX-0812	29700-0812	20731759	1/2	1 3/8-12	1 7/8	36	1 3/16	30	1.74	44.1	3.27	83.1
SG-OFFX-1010	29700-1010	20821925	5/8	1-14	1 3/8	30	15/16	24	1.65	42.0	3.25	82.5
SG-OFFX-1012	29700-1012	20821924	5/8	1 3/8-12	1 7/8	36	1 3/8	30	1.75	44.5	3.35	85.0
SG-OFFX-1210	29700-1210	20821923	3/4	1-14	1 3/8	30	1 1/8	27	1.69	43.0	3.56	90.4
SG-OFFX-1212	29700-1212	20821922	3/4	1 3/8-12	1 7/8	36	1 3/8	30	1.78	45.2	3.65	92.7
SG-OFFX-1216	29700-1216	20821921	3/4	1 3/8-12	1 7/8	41	1 7/8	36	2.03	51.5	3.90	99.0
SG-OFFX-1612	29700-1612	20821920	1	1 3/8-12	1 7/8	36	1 1/4	32	1.95	49.4	4.23	107.4
SG-OFFX-1616	29700-1616	20821919	1	1 3/8-12	1 7/8	41	1 7/8	36	2.10	53.4	4.39	111.4
SG-OFFX-1620	29700-1620	20821918	1	1 1/2-12	2	50	1 3/4	41	1.99	50.5	4.27	108.5
SG-OFFX-2020	29700-2020	20926519	1 1/4	1 1/2-12	2 3/8	50	1 3/4	41	2.28	57.9	5.42	137.7
SG-OFFX-2424	29700-2424	20757721	1 1/2	2-12	2 3/8	60	2 3/8	50	2.69	68.4	6.16	156.3



Download the **MyCrimp App** for more information.







Section 2 SG Fittings


FITTINGS



O-Ring Face Seal (SAE J1453 ORS/ORFS)








Female / 45° Elbow / Swivel

Part Number	Product Number	SAP Number										
			Hose ID	Thread Size (A)	Hex 1 Wrench Size	Drop (D)	Cut-Off (C)	Length (L)				
			in.		in.	mm	in.	mm	in.	mm	in.	mm
SG-OFFX45-0606	29710-0606	20758286	3/8	11/16-16	7/8	22	0.43	11.0	1.85	47.0	3.31	84.0
SG-OFFX45-0608	29710-0608	20821917	3/8	13/16-16	15/16	24	0.59	15.0	2.01	51.1	3.47	88.1
SG-OFFX45-0808	29710-0808	20731758	1/2	13/16-16	15/16	24	0.63	16.0	1.85	47.0	3.42	86.9
SG-OFFX45-0810	29710-0810	20758300	1/2	1-14	1 3/8	30	0.63	16.0	1.97	50.0	3.51	89.0
SG-OFFX45-1010	29710-1010	20821916	5/8	1-14	1 3/8	30	0.63	16.0	1.65	42.0	3.86	98.0
SG-OFFX45-1210	29710-1210	20873194	3/4	1-14	1 3/8	30	0.79	20.1	2.16	55.0	4.04	102.5
SG-OFFX45-1212	29710-1212	20821915	3/4	1 3/8-12	1 7/8	36	0.83	21.0	2.56	64.9	4.43	112.4
SG-OFFX45-1216	29710-1216	20821914	3/4	1 3/8-12	1 5/8	41	0.95	24.0	2.80	71.1	4.67	118.6
SG-OFFX45-1616	29710-1616	20821913	1	1 3/8-12	1 5/8	41	1.02	26.0	3.15	80.0	5.43	137.9
SG-OFFX45-1620	29710-1620	20873195	1	1 3/8-12	2	50	1.26	32.0	3.35	85.1	5.63	143.1
SG-OFFX45-2020	29710-2020	20926520	1 1/4	1 3/8-12	2	50	1.02	25.9	3.82	97.0	6.95	176.6
SG-OFFX45-2024	29710-2024	20926521	1 1/4	2-12	2 3/8	60	1.1	27.9	3.62	92.0	6.76	171.6
SG-OFFX45-2424	29710-2424	20873197	1 1/2	2-12	2 3/8	60	1.65	42.0	4.8	121.9	8.27	209.9



O-Ring Face Seal (SAE J1453 ORS/ORFS)

Female / 90° Elbow / Swivel

Part Number	Product Number	SAP Number											
			Hose ID	Thread Size (A)	Hex 1 Wrench Size	Elbow Type ¹	Drop (D)	Cut-Off (C)	Length (L)				
			in.		in.	mm	in.	mm	in.	mm	in.	mm	
SG-OFFX90-0606	29715-0606	20731757	3/8	11/16-16	7/8	22	1.50	38.0	1.65	42.0	3.11	79.0	
SG-OFFX90L-0606	29720-0606	20731762	3/8	11/16-16	7/8	22	LT	2.13	54.0	1.65	42.0	3.11	79.0
SG-OFFX90S-0606	29725-0606	20731760	3/8	11/16-16	7/8	22	ST	0.91	23.0	1.65	42.0	3.11	79.0
SG-OFFX90-0608	29715-0608	20821911	3/8	13/16-16	15/16	24	1.61	41.0	1.73	44.0	3.19	81.0	
SG-OFFX90L-0608	29720-0608	20821904	3/8	13/16-16	15/16	24	LT	2.52	64.0	1.85	47.0	3.31	84.0
SG-OFFX90S-0608	29725-0608	20821899	3/8	13/16-16	15/16	24	ST	1.14	29.0	1.65	42.0	3.11	79.0

Continued on the next page.

FITTINGS



ContiTech

Section 2 SG Fittings

COMPATIBLE HOSE:

SR12 SR13 SR15 S4SP XCP3S XCP5S
ARC12 ARC13 ARC15 S4SH XCP4S XCP6S

For a detailed list, please refer to your Crimp Specifications Manual.

O-Ring Face Seal (Female 90° Elbow) Continued

Part Number	Product Number	SAP Number	Hose ID	Thread Size (A)	Hex 1		Elbow Type*	Drop (D)		Cut-Off (C)		Length (L)	
					Wrench Size	mm		in.	mm	in.	mm	in.	mm
SG-OFFX90-0808	29715-0808	20731753	1/2	13/16-16	15/16	24		1.61	41.0	1.41	35.9	2.95	74.9
SG-OFFX90L-0808	29720-0808	20821903	1/2	13/16-16	15/16	24	LT	2.52	64.0	1.53	38.9	3.07	77.9
SG-OFFX90S-0808	29725-0808	20731756	1/2	13/16-16	15/16	24	ST	1.14	29.0	1.61	40.9	3.15	79.9
SG-OFFX90-0810	29715-0810	20821910	1/2	1-14	1 3/16	30		1.85	47.0	1.89	48.0	3.43	87.0
SG-OFFX90L-0810	29720-0810	20821902	1/2	1-14	1 3/16	30	LT	2.76	70.0	1.81	46.0	3.35	85.0
SG-OFFX90S-0810	29725-0810	20821898	1/2	1-14	1 3/16	30	ST	1.26	32.0	1.81	46.0	3.38	85.9
SG-OFFX90S-0812	29725-0812	20821897	1/2	1 3/16-12	1 3/16	36	ST	1.89	48.0	2.48	62.9	4.01	101.9
SG-OFFX90-1010	29715-1010	20821909	5/8	1-14	1 3/16	30		1.85	47.0	2.17	55.0	3.76	95.5
SG-OFFX90S-1010	29725-1010	20821896	5/8	1-14	1 3/16	30	ST	1.28	32.5	2.05	52.0	3.64	92.5
SG-OFFX90S-1012	29725-1012	20821895	5/8	1 3/16-12	1 3/16	36	ST	1.89	48.0	2.48	62.9	4.07	103.4
SG-OFFX90S-1210	29725-1210	20821894	3/4	1-14	1 3/16	30	ST	1.54	39.1	1.63	41.3	3.70	93.9
SG-OFFX90-1212	29715-1212	20821908	3/4	1 3/16-12	1 3/16	36		2.28	58.0	2.52	63.9	4.39	111.4
SG-OFFX90L-1212	29720-1212	20821901	3/4	1 3/16-12	1 3/16	36	LT	3.78	96.0	2.52	63.9	4.39	111.4
SG-OFFX90S-1212	29725-1212	20821893	3/4	1 3/16-12	1 3/16	36	ST	1.89	48.0	2.48	62.9	4.35	110.4
SG-OFFX90-1216	29715-1216	20821907	3/4	1 7/16-12	1 3/8	41		2.80	71.1	2.68	68.0	4.55	115.5
SG-OFFX90S-1216	29725-1216	20821892	3/4	1 7/16-12	1 3/8	41	ST	2.21	56.0	2.68	68.0	4.55	115.5
SG-OFFX90-1616	29715-1616	20821906	1	1 3/16-12	1 3/8	41		2.80	71.0	3.13	79.6	5.42	137.5
SG-OFFX90L-1616	29720-1616	20821900	1	1 3/16-12	1 3/8	41	LT	4.49	114.0	3.13	79.5	5.42	137.5
SG-OFFX90S-1616	29725-1616	20821891	1	1 3/16-12	1 3/8	41	ST	2.26	57.5	3.13	79.6	5.42	137.5
SG-OFFX90-1620	29715-1620	20821905	1	1 3/16-12	2	50		3.07	78.0	3.27	83.0	5.55	141.0
SG-OFFX90S-1620	29725-1620	20821890	1	1 3/16-12	2	50	ST	2.52	64.0	3.27	83.0	5.55	141.0
SG-OFFX90-2020	29715-2020	20926522	1 1/4	1 1/16-12	2	50		3.07	78.0	3.82	97.0	6.95	176.6
SG-OFFX90L-2020	29720-2020	20926524	1 1/4	1 1/16-12	2	50	LT	5.08	129.0	3.82	97.0	6.95	176.6
SG-OFFX90S-2020	29725-1620	20926526	1 1/4	1 1/16-12	2	50	ST	2.52	64.0	3.74	95.0	6.87	174.6
SG-OFFX90-2024	29715-2024	20926523	1 1/4	2-12	2 3/8	50		3.071	78.0	3.62	92.0	6.76	171.6
SG-OFFX90L-2024	29720-2024	20926525	1 1/4	2-12	2 3/8	50	LT	5.08	129.0	3.62	92.0	6.76	171.6
SG-OFFX90S-2024	29725-1624	20926527	1 1/4	2-12	2 3/8	50	ST	2.52	64.0	3.62	92.0	6.76	171.6
SG-OFFX90-2424	29715-2424	20873198	1 1/2	2-12	2 3/8	60		3.39	86.0	4.52	115.0	7.99	203.0
SG-OFFX90L-2424	29720-2424	20873199	1 1/2	2-12	2 3/8	60	LT	5.55	141.0	4.52	115.0	7.99	203.0
SG-OFFX90S-2424	29725-2424	20873200	1 1/2	2-12	2 3/8	60	ST	2.78	70.6	4.52	115.0	7.49	190.1



Download the **MyCrimp App** for more information.

Section 2

SG Fittings

FITTINGS